

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20010020242"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:15
S2	1218	"709"/\$.ccls. and redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:23
S3	293	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:24
S4	103	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers)and privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:24
S5	10	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:31
S6	14	"709"/\$.ccls. and (redirect\$3 with request\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38
S7	0	"709"/\$.ccls. and (redirect\$3 with correct\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38
S8	0	"709"/\$.ccls. and (redirect\$3 with belong\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38

EAST Search History

S9	11	"709"/\$.ccls. and (redirect\$3 with belong\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 10:18
S10	11	"709"/\$.ccls. and (redirect\$3 with external with internal) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:23
S11	15	"709"/\$.ccls. and (redirect\$3 same (external with internal)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:28
S12	14	(redirect\$3 same appropriat\$3 same (external with internal)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:30
S13	42	(redirect\$3 same appropriat\$3 same (domain)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:30
S14	6	(redirect\$3 with appropriat\$3 with (domain)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:05
S15	1051	(redirect\$3 with appropriat\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:05
S16	1	(redirect\$3 with appropriat\$3 with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:30

EAST Search History

S17	23	(redirect\$3 with appropriat\$3 with IPs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:08
S18	3	(redirect\$3 with appropriat\$3 near2 router) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:46
S19	103	(proxy with internal with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:47
S20	3	(proxy with internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:48
S21	149	(gatewaywith internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:48
S22	1	(gateway with internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:49
S23	1	("6505254").PN.	USPAT; USOCR	OR	OFF	2006/06/05 21:53
S24	356	(forward\$3 with BTS) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:54
S25	42	(forward\$3 with BTSs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:55

EAST Search History

S26	1	(forward\$3 with BTSs with area) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S27	42	(forward\$3 with BTSs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S28	499	(forward\$3 with appropriate\$3 with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S29	37245	(forward\$3 with appropriate\$3 with servers geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:57
S30	0	(forward\$3 with appropriate\$3 with servers with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:57
S31	11	(forward\$3 with servers with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 22:01
S32	4	(redirect\$3 with servers with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:11
S33	17	(redirect\$3 with servers same geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 22:03

EAST Search History

S34	2	("6505254").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:27
S35	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:27
S36	10	(private with (locations geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:38
S37	0	(private with (geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:38
S38	0	(private same (geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S39	0	(private same (geographic) same (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S40	55	(private same (area\$1) same (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S41	18	(private with (area\$1) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:40

EAST Search History

S42	1	(private with (area\$1) with (IP near2 address\$1)) and geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:44
S43	94	private and (geographic\$3 with IP) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:45
S44	24	private and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:47
S45	0	private same (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:46
S46	18	private and (geographic\$3 with (IP adj2 address\$1)) and public and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12
S47	24	private and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:58
S48	0	private same (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12
S49	0	private with (IP adj2 address\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12

EAST Search History

S50	1	lan with (IP adj2 address\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:48
S51	6184	((attach\$5 includ\$4) with links with (page\$1 webpage\$1)) and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49
S52	478	((attach\$5 includ\$4) with links with (page\$1 webpage\$1)).ab. and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49
S53	71	"709"/\$.ccls. and ((attach\$5 includ\$4) with links with (page\$1 webpage\$1)).ab. and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49
S54	0	private same (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:58
S55	3	lan same (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:03
S56	41	private and public and (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:04
S57	18	private and public and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:20

EAST Search History

S58	76	private and public and (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:20
S59	2	private same public same (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:21
S60	31	private same (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:22
S61	5	private with (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:57
S62	14	(associat\$3 with geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:40
S63	5	firewall and (associat\$3 with geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:53
S64	3	("6603763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 15:53
S65	0	private with (city with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:57

EAST Search History

S66	38	private with (locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:58
S67	0	private with (associat\$4 with locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:58
S68	1	private with (mapp\$3 with locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:59
S69	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 09:24
S70	20	"709"/\$.ccls. and using with prox\$3 near2 (address\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 10:43
S71	3	("6836476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 10:44
S72	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 12:11
S73	3	("6603763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 12:11

EAST Search History

S74	383	(IP adj2 address\$1) with locations and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:14
S75	6	(IP adj2 address\$1) with (geographical near2 locations) and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:32
S76	17	(IP adj2 address\$1) same (geographical near2 locations) and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:33
S77	4	private same (IP adj2 address\$4) with geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:00
S78	4	private same (IP adj2 address\$4) with geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:03
S79	36	private same (address\$4) with geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:03
S80	3	private same (address\$4) with geographic\$3 and redirect\$4 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:04
S81	13	private same (address\$4) same geographic\$3 and redirect\$4 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:07

EAST Search History

S82	0	(private with redirect\$4 with public) and ((tables database\$3) with (address\$4) with geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:08
S83	0	(private with redirect\$4 with public) and ((tables database\$3) same (address\$4) with geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:08
S84	0	(private with redirect\$4 with public) and ((tables database\$3) same (address\$4) same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:09
S85	0	(private same redirect\$4 same public) and ((tables database\$3) same (address\$4) same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:09
S86	2	(private same redirect\$4) and ((tables database\$3) same (address\$4) same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:08
S87	1	("6910221").PN.	USPAT; USOCR	OR	OFF	2008/01/14 13:01
S88	0	("2003011296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 13:01
S89	0	("2002011296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 13:01
S90	1	("20030110296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 17:14
S91	1	("6230201").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 17:14
S92	1	("6785728").PN.	USPAT; USOCR	OR	OFF	2008/01/15 11:38

EAST Search History

S93	88	(redirect\$4 same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:08
S94	20	(redirect\$4 same geographic\$3) and internal and external and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:30
S95	7	((redirect\$4 same geographic\$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:59
S96	73	((forward\$4 same geographic\$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 19:00
S97	16	((forward\$4 near2 request\$4 same geographic\$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 19:00
S98	1	("6505254").PN.	USPAT; USOCR	OR	OFF	2008/01/16 13:16
S99	8906	(internal near2 address\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:30
S10 0	25	(internal near2 address\$3) with (internal near2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:49
S10 1	0	(internal near2 address\$3) with (internal near2 server\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:31

EAST Search History

S10 2	1	(internal near2 address\$3) with (internal near2 server\$1) same locations and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:32
S10 3	1	(internal near2 address\$3) same (internal near2 server\$1) same locations and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:32
S10 4	5	(internal near2 address\$3) same (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S10 5	23	(internal near2 address\$3) and (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S10 6	5	(internal near2 address\$3) with (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S10 7	5	(internal near2 address\$3) same (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S10 8	6	(internal adj1 address\$3) same (internal near2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S10 9	0	(internal adj1 address\$3) same (internal adj1 router\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:53

EAST Search History

S11 0	1	(internal adj1 address\$3) same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:54
S11 1	0	(address\$3) same map\$4 same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:54
S11 2	1	(address\$3) same table same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:57
S11 3	1	(address\$3) same map\$6 same (internal adj2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:57
S11 4	12	map\$6 same (internal adj2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:58
S11 5	2	map\$6 same (internal adj2 server\$1) same (locations geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:13
S11 6	1	("6618366").PN.	USPAT; USOCR	OR	OFF	2008/01/16 15:13
S11 7	3	((internal near2 address\$3) same geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:00
S11 8	219	((internal near2 address\$3) same regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:01

EAST Search History

S11 9	119	((internal near2 address\$3) with regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:01
S12 0	8	((internal near2 address\$3) with regions same map) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:02
S12 1	1	"709"/\$.ccls. and ((internal near2 address\$3) with regions same map) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:04
S12 2	3	"709"/\$.ccls. and ((internal near2 address\$3) with regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:05
S12 3	79	((internal near2 address\$3) with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:05
S12 4	61	((internal near2 address\$3) with servers) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:06
S12 5	10	((internal near2 address\$3) with (table\$1 map\$4) with servers) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:48
S12 6	20	((detect\$4 discover\$4) with redirect\$4 with externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:50

EAST Search History

S12 7	12	((detect\$4 discover\$4) adj2 redirect\$4 same externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:55
S12 8	49	((detect\$4 discover\$4) adj2 redirect\$4 and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:55
S12 9	0	((detect\$4 discover\$4) adj2 redirect\$4 with (geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S13 0	0	((detect\$4 discover\$4) adj2 redirect\$4 same(geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S13 1	41	((detect\$4 discover\$4) adj2 redirect\$4 and (geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S13 2	19	((detect\$4 discover\$4) adj2 redirect\$4 and (address\$2 with (geographic locations)) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:54
S13 3	19	((detect\$4 discover\$4) adj2 redirect\$4 and (address\$2 with (geographic locations) same (map\$4 tables)) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:00
S13 4	29	(detect\$4 discover\$4 determin\$4) adj2 redirect\$4 and (address\$2 with (geographic locations) same (map\$4 tables)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:34
S13 5	1	("6,701,378").PN.	USPAT; USOCR	OR	OFF	2008/01/16 17:34

EAST Search History

S13 6	5	((detect\$4 discover\$4) adj2 redirect\$4 same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:55
S13 7	228	((detect\$4 discover\$4 determin\$4) adj2 (redirect\$4 forward\$4) same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:55
S13 8	95	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:56
S13 9	10	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same(address\$2 urls) same header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:06
S14 0	25407	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S14 1	28413	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4)sa,e header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S14 2	25407	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S14 3	165	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4)and header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07

EAST Search History

S14 4	51	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same header\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:10
S14 5	1	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same header\$1 same external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:12
S14 6	185	((detect\$4 discover\$4 determin\$4) with header with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:12
S14 7	29	((detect\$4 discover\$4 determin\$4) with header with address with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:13
S14 8	2	((detect\$4 discover\$4 determin\$4) near3 header with address with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:14
S14 9	14	((detect\$4 discover\$4 determin\$4) near3 urls with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15
S15 0	0	((detect\$4 discover\$4 determin\$4) near3 urls with external same forward\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15
S15 1	0	((detect\$4 discover\$4 determin\$4) near3 urls with external same redirec\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15

EAST Search History

S15 2	1	((detect\$4 discover\$4 determin\$4) near3 urls with sources same redirec\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:19
S15 3	2	((detect\$4 discover\$4 determin\$4 identify\$4) near3 sources with urls same redirec\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:21
S15 4	22	(redirec\$4 with geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:22
S15 5	18708	(redirec\$4 same for nearr4 geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23
S15 6	0	(redirec\$4 same for near4 geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23
S15 7	0	(redirec\$4 same for near4 locations) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23
S15 8	0	(determin\$4 near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:31
S15 9	2072248	(determin\$4 recogniz\$4 near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:32

EAST Search History

S16 0	0	((determin\$4 recogniz\$4) near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:32
S16 1	7	((determin\$4 recogniz\$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S16 2	7	((determin\$4 recogniz\$4 detect\$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S16 3	7	((determin\$4 recogniz\$4 detect\$4 discover\$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S16 4	16	((determin\$4 recogniz\$4 detect\$4 discover\$4) near2 forward\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33